



**Remarkable** Features Made  
Remarkably **Compact**

**DR-2580C**

Top Quality In a Small Package

**Canon**

Delighting You Always

# Exceptionally Compact Exceptional Features



The space-saving **DR-2580C** is a versatile desktop scanner packed with a host of easy-to-use functions and the latest software technology to deliver exceptional results. Capable of scanning a diverse range of documents thanks to its variety of feed features and a newly introduced sensor support mechanism for thicker items, the DR-2580C packs a lot into a small package.


## New and Improved Features for High Quality images

### Rapid Recovery System

The new Rapid Recovery System reduces the impact of errors by not sending abnormal or badly fed images, and allows scanning to resume immediately without having to delete or rescan affected documents.


### Auto Shading Adjustment

Built-in shading boards on both the upper and lower sensor units automatically adjust shading to provide stable, high quality images every time.




## 3-Dimensional Colour Correction

Advanced 3-D colour conversion is built-in to ensure the appropriate combination of RGB data-improving on less accurate, existing gamma correction where each colour is processed independently.



## Improved Black & White Contrast

Seven varieties of B&W Contrast are available to effectively adjust images to their appropriate contrast – from light text on light backgrounds to dark on dark.




## Remove Punch Holes

Bound documents are made more presentable when scanned with the DR-2580C binder hole removal function, which automatically removes paper punch hole marks from the original image.




## Advanced Text Enhancement

Advanced Text Enhancement automatically adjusts the text threshold and background for precise processing, enhancing text from low contrast images.



# Better Features for Ease of Use



## Compact Size

The DR-2580C is remarkably compact A4 scanner, both in terms of its footprint and actual space required for operation.

## Instant Functions at the Press of a Button

Users can designate three conveniently located job buttons with their choice of automatic function, including "Start / Stop", "Scan to Print", "Scan to PC" and "Scan to Mailer" – a feature that provides an easy operation environment for even non-dedicated operators.


## Quick Start - No Waiting Time

With no warm-up time required, the unit functions immediately - as soon as the power is on.

## Easy Maintenance

The DR-2580C's user-friendly features extend to its simple maintenance, where users can easily replace the scanner's roller unit pieces for better feeding performance.

# Advanced paper handling for Exceptional Performance




## Straight Path Feeding for Thicker Items

Straight Path feeding allows easy scanning of thick documents such as driver's licenses, plastic and business cards – even thick cardboard of up to 546g/m<sup>2</sup>.


## Card Scanning

A new floating mechanism means the DR-2580C can scan thick documents thanks to a system of rollers that move according to the thickness of the document.




## Reliable Paper Feeding

The DR-2580C offers reliable paper feeding with Canon's original Retard Roller paper separation mechanism.



## Double Feed Detection

The DR-2580C detects the length of documents to prevent the occurrence of double feeding.



## Skew Detection

Skew Detection prevents documents from tearing or jamming by correcting the skew of documents fed at an incorrect angle.

## Detachable Flatbed Scanner Unit

The DR-2580C can be paired with an optional Flatbed Scanner Unit to enable the scanning of documents that are too thick or fragile to go through the document feeder. And because the easy-to-install flatbed is detachable, you can always choose to add the option later to satisfy your office's growing needs.



# Bundled CapturePerfect and Adobe Acrobat software

**Capture Perfect**


The DR-2580C comes bundled with Canon CapturePerfect scanning application, giving you everything you need to get great scans, straight out of the box. With improved editing functionality and a host of valuable tools such as Scan to Email and Scan to PDF, CapturePerfect also features:

### ■ PDF Encryption

Save scanned images as password-protected PDF files to keep your valuable data safe. This security feature lets you control access privileges for viewing, printing, and editing scanned images.

### ■ Presentation Mode

Scan a single document or a full stack and directly project images from a projector connected to your PC. Perfect for meetings, images are displayed full-screen and can be controlled in a slideshow-like presentation using keyboard shortcuts.



The DR-2580C also comes with eCopy PDF Pro Office, a powerful, easy-to-use PDF solution from Nuance, lets you create, convert and collaborate PDF data.



eCopy PDF  
Pro Office



## Specifications

Type	Desktop sheet fed scanner + Flatbed Scanner Unit (Option)
Document feeding	Automatic or manual sheet feeding
Document size	Width: 53 - 216 mm Length: 70 - 355.5 mm Long document mode: 1,000 mm (39.4 in.)
Document thickness and weight U-Turn path:	Automatic feeding: 0.06 - 0.15 mm, 52-128 g/m <sup>2</sup> (14-32 lb bond) Manual feeding: 0.05 - 0.2 mm, 42-157 g/m <sup>2</sup> (11 - 40 lb bond)
Straight path:	Automatic feeding: 0.05 - 0.20 mm, 42-157 g/m <sup>2</sup> (14-32 lb bond) Manual feeding: 0.05 - 0.20 mm, 42-157 g/m <sup>2</sup> (14-32 lb bond)
Business card size and thickness	Size: 53.9 x 85.5 mm (2.12 x 3.36 in.) Thickness: 0.76 ± 0.08 mm (0.03 ± 0.003 in.) or less
Feeding capacity	10 mm stack or 100 sheets of 80 g/m <sup>2</sup> (20 lb bond)
Scanning element	Contact Image Sensor (CMOS) CIS
Light source	LED (red, green, and blue)
Scanning side	Front / Back / Duplex & Flatbed
Scanning modes	Black and White, Advanced Text Enhancement, High-Speed Text Enhancement, Error Diffusion 256-level Grayscale, 24-bit Colour
Scanning resolutions	100 x 100 dpi, 150 x 150 dpi, 200 x 200 dpi, 240 x 240 dpi, 300 x 300 dpi, 400 x 400 dpi, 600 x 600 dpi
Scanning speed (A4/LTR, Portrait, 200 dpi)	Black and White, 200 dpi: 25 ppm (Simplex), 50 ipm (Duplex) 256-level Grayscale, 200 dpi: 25 ppm (Simplex), 50 ipm (Duplex) 24-bit Colour, 200 dpi: 13 ppm (Simplex), 26 ipm (Duplex)
Interface	Hi-Speed USB 2.0
Scanner driver	ISIS/TWAIN
Useful functions	Ultrasonic Double Feed Detection, Skew Detection, Rapid Recovery System, Colour Dropout, Automatic Page Size Detection, Text Orientation Recognition, Skip Blank Page, Deskew, Gamma, MultiStream™, Prescan, User Preferences
Power requirements	AC 100 - 120V (50/60 Hz), AC220 - 240V (50/60 Hz)
Power consumption	120W or less (Energy Saving Mode: 6W or less)
Operating environment	10 - 32.5°C (50 - 90.5°F), Humidity: 20 - 80% RH
Dimensions (W x D x H)	304 x 169 x 81.5 mm (Unit + Flatbed: 315 x 555 x 155 mm)
Weight	Approx. 10.5 kg (23 lb.) Main Body 1.8kg
Options/Consumables	Barcode Module, Exchange Roller Kit

Specifications are subject to change without notice. Product names appearing in this brochure are trademarks and/or registered trademarks of their respective owners.

Canon DR-2580C conforms to ENERGY STAR standards for energy efficiency



Canon DR-2580C is compatible to USB2.0.



### Easy Maintenance

To maintain optimal feeding precision and image quality, Canon recommends users to periodically replace the scanner's rollers. Thanks to the DR-2580C's user-friendly design, you can replace the rollers at your own convenience using the Exchange Roller Kit (sold separately) – no service technician required. If your scanner's image sensor glass gets scratched or damaged for any reason, it can be replaced with Sensor Glass Exchange (sold separately). Sensor glass must only be replaced by certified service technicians.

# Canon's Sales and Subsidiaries & Business Partners

## SINGAPORE

Canon Singapore Pte Ltd  
1 Harbourfront Avenue #04-01  
Keppel Bay Tower  
Singapore 098632  
Tel: (65) 6799 8888  
Fax: (65) 6799 8882  
www.canon-asia.com  
www.canon.com.sg

## BANGLADESH

Flora Limited  
Adamjee Court Annex-2, 4th Fl.  
119-120, Motiljheel Commercial Area  
Dhaka-1000, Bangladesh  
Tel: (880) 2 7162742 46 Ext-225  
Fax: (880) 2 9550030  
www.floralimited.com

J.A.N. Associates Ltd  
13/1, Fatema Arcade (2nd Floor)  
Road 5, Dhanmondi  
Dhaka-1205, Bangladesh  
Tel: (880) 2 8611444 / 9660601 /  
9664101 / 8124941  
Fax: (880) 2 8610410  
jan@bangla.net  
jan-mkt@global-bd.net

## BRUNEI

Interhouse Company  
P.O. Box 423, Seri Complex BA1779,  
Bandar Seri Begawan BF1320  
No. 5-7, Bunut Jaya Complex  
Spg. 574, Km 7 1/4, Jalan Tutong  
Negara Brunei Darussalam  
Tel: (673) 2 653001  
Fax: (673) 2 653003  
www.ihc.com.bn

## CAMBODIA

Royal Cambodia Co Ltd  
#437 Preah Monivong Blvd  
Phnom Penh  
Kingdom of Cambodia  
Tel: (855) 23 428 955  
Fax: (855) 23 722 961  
www.royalgroup.com.kh  
rcccanon@royalgroup.com.kh

## HONG KONG

Canon Hongkong Co., Ltd.  
19/F., The Metropolis Tower,  
10 Metropolis Drive,  
Hungghom, Kowloon, Hong Kong  
Tel: (852) 3191 2388  
Fax: (852) 2369 3800  
www.canon.com.hk

## INDIA

Canon India Pvt Ltd.  
2nd Floor, Tower A & B  
Cyber Greens, DLF Phase III  
Guragon – 122002 Haryana, India  
Tel: (91) 124 416 0000  
Fax: (91) 124 416 0011  
www.canon.co.in

## INDONESIA

P. T. Datascrip  
Kawasan Niaga Selatan Blok B-15  
Bandar Kemayoran  
Jakarta 10610 Indonesia  
Tel: (62) 21 6544515  
Fax: (62) 21 6544811 to 13  
www.datascrip.com

## MALAYSIA

Canon Marketing (Malaysia) Sdn Bhd  
Block D, Peremba Square,  
Saujana Resort Section U2,  
40150 Shah Alam,  
Selangor Darul Ehsan, Malaysia  
Tel: (60) 3 7844 6000 / 7845 0055  
Fax: (60) 3 7844 6196 / 6198  
www.canon.com.my

## MALDIVES

SIMDI Office Automation /  
SIMDI Company Pvt Ltd  
G.Faith, Majeedhee Magu, 20-139,  
Male', Maldives  
Tel: (960) 333 4421  
Fax: (960) 333 4424  
www.simdi.com  
ramieze@simdi.com

## MYANMAR

Myanmar Golden Rock International  
Co., Ltd  
FJV Commercial Centre  
Level 6, No. 422-426  
Strand Road Botataung Township  
Yangon, Myanmar  
Tel: (95) 1 202092 to 96  
Fax: (95) 1 202079  
sales@mgr.com.mm

## NEPAL

International Electronics Concern  
Pvt Ltd  
Kha 14 1st Floor  
Haratibhawan Putalisadak  
Ramshah Path, Kathmandu,  
P.O. Box 12588  
Tel: (977) 1 4421911  
Fax: (977) 1 4421909

## PAKISTAN

Shirazi Trading Co (Pvt) Ltd  
8th Floor, Adamjee House,  
I.I. Chundrigar Road,  
Karachi, Pakistan  
Tel: (92) 21 32417659 / 32417737  
Fax: (92) 21 32417747 / 32420417 /  
32420418  
www.shirazitrading.com.pk

## PHILIPPINES

Canon Marketing (Philippines), Inc.  
Ground Floor Commerce and  
Industry  
Plaza., Campus Ave. cor. Park Ave.,  
McKinley Hill, Fort Bonifacio, Taguig  
City  
Tel: (632) 884 9000  
Fax: (632) 894 4174  
www.canon.com.ph

## SRI LANKA

Metropolitan Computers (Pvt.) Ltd  
85 Braybrooke, Place Colombo 2,  
Sri Lanka  
Tel: (94) 1 2437797  
Fax: (94) 1 2448980  
www.metropolitan.lk

## THAILAND

Canon Marketing (Thailand) Co. Ltd  
9th-10th Fl., 179/34-45  
Bangkok City Tower  
South Sathorn Road  
Thungmahamek, Sathorn,  
Bangkok 10120  
Tel: (66) 2 344 9999  
Fax: (66) 2 344 9960  
www.canon.co.th  
info@canon.co.th

## VIETNAM

Canon Singapore Pte Ltd  
Ho Chi Minh City Representative  
Office  
Floor 6, SaiGon Centre Building  
65 Le Loi, Ben Nghe Ward, District 1  
Ho Chi Minh City, Vietnam  
Tel: (84) 8 820 0466  
Fax: (84) 8 820 0477  
www.canon.com.vn  
cvro\_enq@canon.com.sg  
Hanoi City Representative Office  
15 Nguyen Chi Thanh  
Hanoi, Vietnam  
Tel: (84) 4 771 1677  
Fax: (84) 4 771 1678  
www.canon.com.vn  
cvro\_enq@canon.com.sg

D E A L E R ' S S T A M P

# Canon

Delighting You Always