

 imageFORMULA
P-150

Canon

Delighting You Always



An Ultra Compact, Convenient Document Scanner

Portability Like No Other

The stylish and portable P-150, with USB powering and plug-and-scan capabilities of CaptureOnTouch Lite, can quickly perform one-pass duplex scans wherever and whenever you need it to.

Business *can* be simple

Find out more at www.canon-asia.com

THE PERSONAL SCANNER THAT FITS IN THE PALM OF YOUR HAND




A remarkable document scanner that revamps industry standards for personal category devices, the P-150 provides the scanning capabilities of sizeable scanners in a portable, compact machine with a sleek and stylish design. Plug-and-scan capabilities of the included CaptureOnTouch Lite software allow mobility and accessibility via USB connection for high-speed scanning jobs, where and when you need them.

P-150



TECH INNOVATIONS

High-speed one-pass scanning



The P-150 can process up to 15 pages per minute using its impeccable one-pass duplex scanning feature and continuous scanning option.* By simultaneously scanning both the front and back of a document – even those in full color, distributing and managing files is now quicker and more efficient.

*(A4/Letter, 200 dpi, B&W, two USB cables)

Fast document scanning

Plug-and-scan with CaptureOnTouch Lite



Software installation is not required. Instead, the P-150's scan drive software comes embedded with plug-and-scan capabilities. With the Auto Start switch on the back of the P-150 set to "On", simply connect the scanner to a PC via a USB port. The CaptureOnTouch Lite instructions will automatically appear upon connection to guide you through the necessary steps to quickly convert hardcopy documents into electronic files. You may also utilize image processing functions of the software before delivery of document information to the PC for optimal scan capture.



USB powering



Connect the P-150 to a PC with a USB cable to power the scanner. Connection with one USB cable can transmit full-color scanned information to the PC at a rate of 10ppm/10ipm, while two USB cables provide full power for faster scanning speeds of 10ppm/20ipm. If two USB ports are not available, an AC Adapter can provide power for advanced scanner operability.



IMPRESSIVE FEATURES

■ Compact and portable


The impressively small design of the P-150 is incomparable. Measuring a mere 2 x 2.75 inches (50.8 x 70 mm) in size when closed, this document scanner is compact enough to carry in one hand. When in use, it is sizeable enough to effortlessly and smoothly handle A4- or letter-size paper stacks.



■ Sleek and stylish design

Sporting an all-black finish and practical-yet-stylish structural details, the P-150 achieves a sleek and chic look without sacrificing functionality. The smart body conveniently folds to a manageable size for transport, and flips open to efficiently process document scans.

■ CaptureOnTouch



Installing CaptureOnTouch to a PC adds an expansive array of scanning options not available with CaptureOnTouch Lite, better equipping the P-150 for users requiring heavy everyday use. Precise image processing functions provide scanning accuracy and clarity. Custom job registration simplifies specific jobs by saving their necessary functions and settings collectively, ensuring faster utilization and job completion. Choose from two scan modes: "Scan First" and "Select Scan Job" to run and manage scan jobs from the PC with its easy user interface.

■ High-quality imaging

Canon is a name synonymous with superior quality imaging, and scan jobs performed by the P-150 are no exception to that standard. High resolution B&W, grayscale, and full-color scans are available at up to 600dpi through either one or two USB cable connections.

Scan First

Select Scan Job



■ Bundled software

PaperPort

PaperPort is a file management application renowned for its intuitive and user-friendly graphic interface, making it easy to store, organize, and retrieve your digital documents.

Presto BizCard

Presto! BizCard lets you scan business cards to convert and organize important contact information into a searchable database.

Scanning features of the P-150:

- Deskew
- Auto Page Size Detection
- Auto Color Detection
- Double-Feed Detection (by length)
- Skip Black Page
- Text Orientation Recognition
- Color Dropout (R/G/B)*
- Color Enhancement (R)*
- Advanced Text Enhancement II
- Moire Reduction*
- Edge Enhancement*
- Preset Gamma Curve*
- Prescan
- Scan Area Setting
- Prevent Bleed Through / Remove Background*
- Separate Front & Back Settings (Gamma/Brightness/Contrast correction)*
- Continuous Scanning

* Not available with CaptureOnTouch Lite



P-150 Specifications



Type	Desktop sheet-fed scanner	
Document feeding	Automatic sheet feeding	
Document size	Width: 50.8 - 216 mm (2.08 - 8.6 in.) Length: 70 - 356 mm (2.76 - 14 in.)	
Document thickness and weight	0.06 - 0.15 mm, 52 - 128 g/m ² (14 - 32 lb. bond)	
Feeding capacity	3 mm stack (including curls) or 20 sheets of 64 g/m ² (16 lb. bond)	
Scanning element	CMOS CIS	
Light source	LED (red, green, and blue)	
Scanning side	Simplex/Duplex	
Scanning modes	Black and White, Error Diffusion, Advanced Text Enhancement II, 256-level Grayscale, 24-bit Color, Auto Color Detection	
Scanning resolutions	100 x 100 dpi, 150 x 150 dpi, 200 x 200 dpi, 300 x 300 dpi, 400 x 400 dpi, 600 x 600 dpi	
Scanning speed* (A4/LTR)	Power supply: With 1 USB	B&W/ 200 dpi: 12 ppm (Simplex), 14 ipm (Duplex) Grayscale 300 dpi: 12 ppm (Simplex), 14 ipm (Duplex) Color 200 dpi: 10 ppm (Simplex), 10 ipm (Duplex) 300 dpi: 6 ppm (Simplex), 6 ipm (Duplex)
	With 2 USB or AC Adapter	B&W/ 200 dpi: 15 ppm (Simplex), 30 ipm (Duplex) Grayscale 300 dpi: 15 ppm (Simplex), 30 ipm (Duplex) Color 200 dpi: 10 ppm (Simplex), 20 ipm (Duplex) 300 dpi: 6 ppm (Simplex), 12 ipm (Duplex)
Interface	Hi-Speed USB 2.0	
Scanner driver	ISIS/TWAIN	
Software	ISIS/TWAIN Driver, CaptureOnTouch, CaptureOnTouch Lite (Built-in), PaperPort, BizCard Reader	
Useful functions	Job Function, Double Feed Detection, Prevent Bleed Through / Remove Background, Moire Reduction, Skip Blank Page, Auto Page Size Detection, Deskew, Color Dropout (R/B/G), Color Enhancement (R), Text Orientation Recognition, Continuous Scanning, Edge Enhancement, Preset Gamma Curve, Prescan, Scan Area Setting, Separate Front & Back Settings	
Power requirements	With USB port connection: USB bus power, 0.5A (1 USB) / 1.0A (2 USB) With optional AC Adapter: DC6V, 0.8A	
Power consumption	2 USB: 5W, 1 USB: 2.5W, Sleep mode: 1W, Power OFF: 0.1W	
Operating environment	10 - 32.5°C (50 - 90.5°F), Humidity: 20 - 80% RH	
Dimensions (W x D x H)	Feed tray closed: 280 x 95 x 40 mm (11 x 3.7 x 1.6 in.) Feed tray open: 280 x 222.7 x 202.2 mm (11 x 8.8 x 7.9 in.)	
Weight	Approx. 1.0 kg (2.2 lbs.)	
Options/Consumables	AC Adapter, Carrying Case, Separation Pad, Feed Roller	

*Scanning speed may vary depending on PC environment, scanner settings, and other factors.
Specifications are subject to change without notice.

■ Easy maintenance

The P-150 is durable and easy to keep in top scanning condition. A user-installable Separation Pad and Feed Roller (sold separately) are available for replacing when worn – no service technician is required.

■ Energy efficient

This device meets the ENERGY STAR Program guidelines for energy efficiency, which means that it requires less energy and costs less to run.



ENERGY STAR and the ENERGY STAR mark are registered U.S. trademarks.

Other company names and product names appearing in this brochure are the registered trademarks and/or trademarks of their respective owners.

Canon

Delighting You Always

DEALER'S STAMP

Canon's Asia Pacific Network

ASIA PACIFIC

Canon Singapore Pte Ltd
1 HarbourFront Avenue #04-01
Keppel Bay Tower
Singapore 098632
Tel: (65) 6799 8888
Fax: (65) 6799 8882
www.canon-asia.com
www.canon.com.sg

AFGHANISTAN

TECHZONE Co. Ltd
P.O. Box 559
Opp. Ministry of Justice Kabul
Afghanistan
Tel: 0093-2-2101727

BANGLADESH

Flora Limited
Adamjee Court Annex-2, 4th Fl.
119-120, Motijheel Commercial Area
Dhaka-1000, Bangladesh
Tel: 9567846, 7162742-46 Ext-225
Fax: 880-2-9550030
www.floralimited.com

J.A.N. Associates Ltd
13/1, Fatema Arcade (2nd Floor)
Road 5, Dhanmondi
Dhaka-1205, Bangladesh
Tel: (880) 2 8611444 / 9660601 /
9664101/8124941
Fax: (880) 2 8610410
jan@bangla.net
jan-mkt@global-bd.net

BRUNEI

Interhouse Company
P.O. Box 423, Seri Complex BA1779,
No. 5-7, Bunut Jaya Complex
Spg. 574, Km 7 1/4, Jalan Tutong
Bandar Seri Begawan BF1320
Negara Brunei Darussalam
Tel: (673) 2 653001
Fax: (673) 2 653003
www.ihc.com.bn

INDIA

Canon India Pvt Ltd
2nd Floor, Tower A & B
Cyber Greens, DLF Phase III
Gurgaon - 122022 Haryana, India
Tel: (91) 124 416 0000
Fax: (91) 124 416 0011
www.canon.co.in

INDONESIA

PT Datascrip
Kawasan Niaga Selatan Blok B-15
Bandar Kemayoran
Jakarta 10610
Indonesia
Tel: (62) 21 6544515
Fax: (62) 21 6544811 to 13
www.datascrip.com

MALAYSIA

Canon Marketing (Malaysia) Sdn Bhd
Block D, Peremba Square
Saujana Resort Section U2,
40150 Shah Alam
Selangor Darul Ehsan, Malaysia
Tel: (60) 3 7844 6000 / 7845 0055
Fax: (60) 3 7844 6196 / 6198

MALDIVES

SIMDI Office Automation / SIMDI Company Pvt Ltd
G.Faith, Majeedhee Magu, 20-139, Male',
Maldives
Tel: (960) 333 4421
Fax: (960) 333 4424
www.simdi.com
ramieze@simdi.com

MYANMAR

Accel International Co Ltd
FJV Commercial Centre
Level 6, No 422 - 426
Strand Road Botataung Township
Yangon, Myanmar
Tel: (95) 1 202092 to 96
Fax: (95) 1 202079

NEPAL

International Electronics Concern Pvt Ltd
Kha 14 1st Floor Haratibhawan Putalisadak
Ramshah Path, Kathmandu, P.O. Box 12588
Tel: (977) 1 4421991
Fax: (977) 1 4421909

PAKISTAN

Shirazi Trading Co (Pvt) Ltd
8th Floor, Adamjee House
I.I. Chundrigar Road
Karachi, Pakistan
Tel: (92) 21 2417659/2417737
Fax: (92) 21 2417747/2420417/2420418
www.shirazitrading.com.pk

SRI LANKA

Metropolitan Computers (Pvt) Ltd
85 Braybrooke, Place Colombo 2, Sri Lanka
Tel: (94) 1 2437797
Fax: (94) 1 2448980
www.metropolitan.lk

THAILAND

Canon Marketing (Thailand) Co Ltd
9th-10th Fl., 179/34-45 Bangkok City Tower
South Sathorn Road
Thungmahamek, Sathorn, Bangkok 10120
Tel: (66) 2 344 9999
Fax: (66) 2 344 9960
www.canon.co.th
info@canon.in.th

VIETNAM

Canon Singapore Pte Ltd
Ho Chi Minh City Representative Office
Unit 437 - 439 - 441
Hai Ba Trung Street, Ward 8
District 3, Ho Chi Minh City, Vietnam
Tel: (84) 8 820 0466
Fax: (84) 8 820 0477
www.canon.com.vn
cvro_enq@canon.com.sg

VIETNAM

Canon Singapore Pte Ltd
Hanoi Representative Office
Unit 601 & 602
Viet Au Building, 205 Giang Vo Street
Dong Da District, Hanoi, Vietnam
Tel: (84) 4 512 1033
Fax: (84) 4 512 1022
www.canon.com.vn
cvro_enq@canon.com.sg