



SIMPLE DESIGN MAXIMUM VALUE

2

Print • Copy • Scan • Network-Ready* *Only for imageRUNNER 2202N/2002N

Business Can be simple

SIMPLE DESIGN MAXIMUM VALUE Making business efficiency affordable



Highlights


- Up to 20/22ppm (A4) Print/Copy Speeds
- Remote Color Scan Enabled (Pull/Push)
- Quick Warm-up Time
- Network Print (Only for Standard Models)
- Up to 100 Department ID Management (Only for Standard Models)
- Mobile Printing Compatible (Only for Standard Models)
- Energy Efficient

More Performance Value, Less Investment Outlay

The new imageRUNNER 2202N/2002N (standard models) and the imageRUNNER 2002 (entry model) comes packed with essential features that rules today's business efficiency.


Do More Work Less by improving productivity with an array of features such as network connectivity, Remote Scan and Mobile Print which allows you to focus your time and energy on more important business. Also, track your device usage and avoid unnecessary costs. Canon's energy saving technology ensures that you keep a low environmental footprint and minimize your energy cost.

The imageRUNNER 2202N/2002N/2002 series is a great size for your compact office, at a low cost. Eliminate extra costs incurred with the imageRUNNER 2202N/2002N/2002 series to consolidate printing, copying and scanning into just one device.



NETWORK CONNECTIVITY, IMPROVED WORKFLOW

The imageRUNNER 2202N/2002N also come with built-in network interface allowing multiple users connected to the same network to share the device for print and scan functions. Scanning is simpler than ever before with Push Scan function where you can scan documents directly from the device and retrieve the files at your computer.



CONVENIENT SCANNING, MULTIPLE FILE FORMATS

Streamline your document workflow using the MF Toolbox application. Scan, store and share your documents (monochrome or color) in various file formats, including Compact PDF, which minimize your network load with its smaller file size. Or choose to save your documents in Searchable PDF format and effortlessly perform word searches on your document content.




GREATER MOBILITY, BOOST CONVENIENCE

The network-ready imageRUNNER 2202N/2002N offers you the convenience to integrate wireless printing on your iOS or Android mobile devices, via the complimentary Canon Mobile Print App and print-on-the-go. The smart app allows you to easily print a variety of file types with various print options to suit your needs, such as varying paper sizes or multiple copies.

SIMPLICITY AT ITS BEST

Conveniently switch between the Copy O—and Scan functions

Effortless operation with an easy to use and view 5-line LCD display



Copy 2-sided Alt materials hassle-free acc tas

Alternate between accessing pre-set copy tasks and ID Card copy at the single touch of a button Allows for easy Log in and Log out with your Department ID

Model	РРМ	Сору	Local Print	Network Print	Scan	Platen Cover	DADF	Duplex	Dept ID	Standard Paper Cassette	Optional Paper Cassette	Bypass Tray
imageRUNNER 2202N	22	~	~	~	Push/Pull	Opt	Opt	Opt	~	250	250	80
imageRUNNER 2002N	20	~	~	~	Push/Pull	Opt	Opt	Opt	~	250	250	80
imageRUNNER 2002	20	~	~	×	Push/Pull	~	×	×	×	250	×	80



Department ID Page Iotat								
Page Total								
Register New Department Clear All Counts								
Page Total/Page Restriction								
Total Prints		Black & White Copy	Black & White Print					
750		250	500					
0001 500/800		300/500	200/300					
650/1000		450/650	190/350					
0003 360/800		250/400	210/400					
	epartment Page Total/I Total Prints 750 500/800 650/1000	epartment Clear Al Page Total/Page Rest Total Prints 750 500/800 650/1000	Page Total /Page Restriction Total Prints Black & White Copy 750 250 500/800 300/500 550/1000 450/550					

IMPROVED CONTROL, BETTER RESOURCE MANAGEMENT

Track your device usage with Department ID Management on the standard models, where login is needed to access the job functions. With this feature, you can predetermine different limits for individual departments. Device usage can be better managed through understanding copy and print outputs to better control your overheads.

HIGH PERFORMANCE, HIGH PRODUCTIVITY

Reduce paper usage and filing space with the optional duplex unit available on the standard models. Additionally, to make duplex copying and scanning a breeze, you can opt for the Duplex Auto Document Feeder. Take your business productivity up a notch and maintain uptime with the optional 250-sheet paper cassette without the need to load paper as often on the standard models.




Device enters Sleep Mode on demand to conserve power

Quick overview of the total usage of device

Log in ENT th your



ID Card Copy









1-sheet printout

ID CARD COPY, IMAGE COMBINATION

Improve efficiency with the ID Card Copy function that scans both sides of a card and have it printed out on a single page without the need to manually re-position the card or the paper. Save paper usage with the Image Combination function. Combine multiple page (up to 4 pages) documents into one single page.

QUICK WARM-UP TIME, LOW ENERGY CONSUMPTION

With the On-Demand Fixing technology, the imageRUNNER 2202N/2002N/2002 consumes minimal power when not in use. When needed, it can be ready in less than 3 seconds. Coupled with a low-melting point in toner, the new series boasts low power consumption and a low TEC value of 1.18kwH. Maximise the performance of your device with Canon's genuine toner and long life drum technology while producing high quality printouts.

SPECIFICATIONS imageRUNNER 2202N/2002N/2002

			iR 2002	iR 2002N	iR 2202N		
	Туре	B/W Laser Multifunctional (Reader/Printer Console)					
	Maximum Original Size		A3				
	Fixing System		On-demand Fusing				
PRINT/COPY/SCAN	Copy Speed	A4	20ppm	22ppm			
		A3	10ppm		11ppm		
	First Copy Time	7.9 secs					
	Warm-Up Time	From Power On	13 secs				
		From Sleep Mode	(The time it takes to recover from Sleep Mode to when the start key is enabled)				
OP	Print Description Language	•	UFRII Lite				
PRINT/C	OS Compatibility	Windows 8.1/8/7/Vista/XP/2000, Windows Server 2012/Server 2008/Server 2003, Mac OS X 10.5.8 or later					
	Resolution	Scan	300 x 300dpi				
		Сору	600 x 600 dpi				
		Print	600 x 600 dpi				
	Pull Scan (MF Toolbox/Sca	B/W & Color					
	Push Scan (MF Toolbox)		B/W & Color				
	Scan Features		TWAIN, WIA compatible				
	Supported File Format (Sca	an)	PDF/Searchable PDF/Compact PDF, BMP, JPEG, TIFF				
	Processor Speed		400MHZ				
	Memory Capacity		128MB				
	Paper Sizes	Cassette 1	A3, B4, A4R, A4, B5R, B5, A5R				
		Cassette 2	N/A A3, B4, A4R, A4, B5R, B5, A5R				
		Bypass Tray	A3, B4, A4R, A4, B5R, B5, A5R, Envelope (COM 10, Monarch, ISO-C5, DL)				
	Acceptable Originals	Sheet, Book, and Three dimensional objects (up to 2 kg)					
.5	Available Paper	Drawer	Weight: 64 to 90 gsm				
PAPER HANDLING			Type: Plain, Recycled, Color (64 to 80 gsm), Bond (75 to 90 gsm)				
		Bypass Tray	Weight: 64 to 128 gsm				
			Type: Plain, Recycled, Color (64 to 80 gsm), Bond (75 to 90 gsm), Heavy Paper 1 (91 to 105 gsm), Heavy Paper 2 (106 to 128 gsm), Transparencies, Labels, Envelopes				
	Paper Capacity	Cassette 1	250 sheets (80 gsm)				
		Cassette 2	N/A 250 sheets (80 gsm)				
		Bypass Tray	80 sheets (80 gsm)				

SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

CANON SINGAPORE PTE. LTD.

Harbourfront Avenue #04-01, Keppel Bay Tower, Singapore 098632 Tel: +65-6799 8888 Fax: +65-6799 8882 www.canon-asia.com

CANON SALES SUBSIDIARIES & BUSINESS PARTNERS

Afghanistan Megaplus Afghanistan Limited House No. 233, Street No. 4, Charagh Ali, Qilla-e-Fatehullah, Kabul, Afghanistan Tel: +93-700-228-832 / +93-700-979-511 Fax: +93-202-201-259 info@megaplus.com.af

Bangladesh

Flora Limited Adamjee Court Annex-2, (4th Floor) 119-120 Motijheel Commercial Area Dhaka-1000, Bangladesh Tel: +880-2-716-2742 to 46 Fax: +880-2-955-0030 www.floralimited.com

Brunei

Interhouse Company No. 5-7, Bunut Jaya Complex Spg. 574, Kim 7 1/4, Jalan Tutong BF1320 P.O. Box 423, Seri Complex Bandar Seri Begawan BA1779 Negara Brunei Darussalam Tel: +673-2-653-001 Fax: +673-2-653-003

Cambodia

Royal Cambodia Co., Ltd #437 Preah Monivong Blvd. Phomn Penh, Cambodia Tel: +855-23-428-955 Fax: +855-23-722-961

India Canon India Pvt. Ltd.

7th & 8th Floor, Tower B Building # 5 DLF Epitome, DLF Phase III Gurgaon - 122002 Tel: +91-124-416 0000 Fax : +91-124-416 0011 www.canon.co.in

Indonesia

PT Samafitro Jl. Ir. H.Juanda No. 8 Jakarta 10120, Indonesia Tel: +62-21-345-8989 Fax: +62-21-345-6699 www.samafitro.co.id

Malaysia Canon Marketing (Malaysia) Sdn Bhd Block D, Peremba Square, Saujana Resort, Section U2, 40150 Shah Alam, Selangor Darul Ehsan, Malaysia Tel: +60-3-7844 6000/ +60-3-7845 0055 Fax: +60-3-7844 6196 / +60-3-7844 6198 www.canon.com.my

Maldives SIMDI Company Pvt Ltd. Head Office: G. Manaam Building, 2/1 Neeloafaru Magu. Male' 20-129, Maldives Tel: +960-333-4421 Fax: +960-333-4424

			iR 2002	iR 2002N	iR 2202N		
≿	Interface	Network	N/A	Ethernet 100BA	ASE-		
N				TX/10BASE-T			
<u>CT</u>							
N		Others	USB 1.1/2.0				
CONNECTIVITY	Network Protocol	TCP/IP v4/v6					
	Power Consumption	2.0W or less					
	l ower consumption	1.5kW or less					
١S	TEC	Maximum	1.18kWh				
0	Power Supply		220-240V AC, 50/60Hz				
CAT	Toner Yield	Approx. 10,200 sheets (A4, 6% coverage)					
GENERAL SPECIFICATIONS	Drum Yield	Approx. 61,700 sheets					
Ř	Dimensions (W x D x H)						
SF.			502 mm	622 x 589 x 607 mm (with ADF) Approx.			
SAL	Weight		Approx.				
Ę.			29.7 kg	35.5 kg (with ADF)			
Э	Installation Space (W x D)		921 x 589 mm				
			(when the Bypass Tray is extended)				
	Department ID		N/A	Up to 100 depa	rtments		
	OPTIONAL ACCESSORIES						
	DUPLEX AUTOMATIC DOC	JMENT FEEDER - A					
	Туре		N/A	Automatic Document Feed			
	Size of Originals		N/A	A3, B4, A4, A4R, B5, B5R,			
	Den en Wetelek		NI / A	A5, A5R			
	Paper Weight		N/A	When continuously scanning originals:			
				52 to 105 gsm			
				When scanning a single			
				original:			
				37 to 128 gsm			
	Max. Number of Originals	N/A	50 sheets (8o ន្	gsm)			
	Scanning Speed (Max)	Copying (A4 in Black-and-White	N/A	1-sided	1-sided		
		Black-and-White		scanning:	scanning:		
		at 600 dpi)		20ipm	22ipm		
				2-sided	2-sided		
				scanning: 8ipm	scanning: 8ipm		
		Scanning	N/A				
		Scannig		1-sided scanning: 23.4ipm (A4 in B/W at 300 dpi)			
				12ipm (A4 in Color at 300 dpi)			
				2-sided scanning: 8ipm (A4 in B/W at 300 dpi) 4ipm (A4 in Color at 300 dpi)			
	Dimensions (W x D x H)		N/A	565 X 520.5 X 1			
	Weight		N/A	7.0 kg			
	CASSETTE UNIT - AB1			7.0 15			
	Paper Sizes	N/A	A3, B4, A4, A4R, B5, B5R, A5R				
	Paper Capacity	N/A	250 sheets (80 gsm)				
	Power Source	N/A	From main unit				
	Dimensions (W x D x H)		N/A	579 X 575 X 116 mm			
	Weight		N/A	Approx. 5.75 kg			
	OTHER OPTIONAL ACCESS	SORIES AND SUPP		- 12 prox. 3.7 3 K	<u>.</u>		
				r Kit-M1. Cassett	e Heater		
	Duplex Unit-C1*, Platen Cover Type T*, FL Cassette-AU1*, Heater Kit-M1, Cassette Heater Unit-30*, iR Pedestal Type M						
	* Avaliable for iR2202N/2002N only.						
-							

This brochure and the specifications of the product have been developed prior to the date of product launch. These specifications are subject to change without notice. Therefore no representations or warranties, either express or implied, are made of the fitness of this product for a particular purpose. In no circumstances shall the information in this brochure be considered part of our terms and conditions of sale. You are advised to check the prevailing specification immediately prior to purchase. All company and/ or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.

Myanmar

Mvanmar Golden Rock International Co., Ltd Myanmar Golden Kock International CC #66-01, Building 8, Myanmar ICT Park, Universities' Hlaing Campus Hlaing Township, Yangon, Myanmar Tel: +95-1-654-810 to 17 Fax: +95-1-654-820 sales@amgr.com.mm

Nepal

International Electronics Concern Pvt. Ltd. Kha 14 1st Floor, Haratibhawan Putalisadak, Ramshah Path, Kathmandu, Nepal P.O. Box 12588 Tel: +977-1-442-1991 Fax: +977-1-442-1909

Pakistan

Shirazi Trading Company (Pvt.) Ltd 8th Floor, Adamjee House, I.I. Chundrigar Road, Karachi 74000 Pakistan Tel: +92-21-3241 7659 / 7737 / 7746 Fax: +92-21- 3241 7747 / 3242 0417 www.shirazitrading.com.pk

Sri Lanka

Metropolitan Office (Pvt) Ltd 12, Magazine Road, Colombo 08, Sri Lanka Tel: +94-11-470 0200 Fax: +94-11-470-0267 http://www.metropolitan.lk/

Thailand Canon Marketing (Thailand) Co., Ltd. No.98 Sathorn Square Office Tower, 21st -24th floor, North Sathorn Road, Silom, Bangrak, Bangkok 10500 Tel: +66-2-344-9999 Fax: +66-2-344-9960 www.canon.co.th

Vietnam Canon Marketing (Vietnam) Co. Ltd Level 10, President Place 93 Nguyen Du, Dist 1, Ho Chi Minh City, Vietnam Tel: +84-8-38200 466 Fax: +84-8-38200 477 www.canon.com.vn

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations respect to this document.

Canon, imageRUNNER, imageRUNNER ADVANCE, imageCHIP, RAPID Fusing System, MEAP, eMaintenance, iW, Business can be simple and get Smart get genuine are trademarks of Canon Inc. and/or its affiliates. "MEAP" is a trademark of CANON Inc., referring to an "application platform" for Canon, multifunction and single function printers. Other names may be the trademarks of their respective owners. uniFLOW, eCopy and Therefore are independent party software distributed by Canon Singapore Pte Ltd.

o181W798 © 2014 Canon Singapore Pte. Ltd. All rights reserved.

Dealer's Stamp

