


C2230 / C2225 / C2220 / C2220L









The imageRUNNER ADVANCE C2200 series has been designed from the onset to offer you the following:

ADVANCED

ADVANCED that puts you in control.


ADVANCED


ADVANCED

ADVANCED

ADVANCED

ADVANCED





MAINTAIN YOUR PRODUCTIVITY

The imageRUNNER ADVANCE C2200 series is designed to keep your business going. The inbuilt paper sensor is also intelligent enough to detect paper sizes accurately, reducing paper jams and misfeeds.



INTUITIVE USER INTERFACE





A full-color 7" high resolution TFT touchscreen provides wide viewing angles and exceptional clarity. The intuitive Main Menu gives you instant access to essential system functions, while being fully configurable to suit individual and workgroup preferences. You can also streamline complex tasks and workflows to run at the touch of a single button with Quick Menu.

STEP-BY-STEP TUTORIAL

The inbuilt onscreen tutorial helps you explore the full capabilities of the imageRUNNER ADVANCE C2200 series, and enables you to learn and use more advanced functions with ease.



WALK UP CONVENIENCE

The imageRUNNER ADVANCE C2200 series comes with a USB port that lets you scan to or print* files directly from your USB drive or memory card at the device.

* Optional accessories are required for print.



ADVANCED PRINT QUALITY

Quality prints that truly shine.

HIGH RESOLUTION BRILLIANT PRINTOUTS RESOLUTION



1200x1200 dpi printing resolution provides you with sharp and vivid printouts. Matched with the pQ Toner and an intelligent controller, the imageRUNNER ADVANCE C2200 series truly brings you the crispest, most vibrant color printouts.



GENUINE ADOBE POSTSCRIPT 3

The imageRUNNER ADVANCE C2200 series supports Genuine Adobe PostScript 3 printing capability. This enables you to deliver the desired printout quality without worries of font incompatibility. Work seamlessly with Postscript workflow and achieve faster, higher quality printouts – not just emulations. Direct PDF printing and full support of Adobe fonts also translates to improved office productivity.

* For C2220L, additional installation of optional 2.5" inch 80GB HDD-E1 is required.





ADVANCED imageCHIP SYSTEM ARCHITECTURE

3/3/5 (56)

Canon's dual processor system meets the rigorous demands of today's businesses. The image processor board works with the scanner, adjusts images and provides superior image processing. In tandem, the information processor controls the user interface and coordinates device networking and connectivity. Together, they give you better results with lesser wait.





25.44

ADVANCED PRODUCTIVITY

Advanced technology becomes simple with the Canon imageRUNNER ADVANCE. Simply add the modular units you need to further extend the functions of your device.

2-LINE FAX

Add on Super G3 fax functionality for high-speed fax transactions. The 2-line fax feature is capable of handling large volumes of fax documents, while ensuring lesser busy signals and greater connectivity.

HIGH SPEED SCANNING

Using the optional document feeder, you can archive your documents and create up to 50 crystal clear reproduction of black & white and color documents each time you press the button. What's more, at a speed of 51 ipm in black & white or color, you no longer need to spend as much time waiting at the device.


PROFESSIONAL LOOKING DOCUMENTS

Impress your business associates and colleagues alike with professional-grade documents. Select the settings you want, ranging from automatic stapling, punching, collation and even booklet creation function. For a compact footprint, internal stapling and collating units are also available as options.

REMOTE FAX COLLABORATION

With the optional Remote Fax Kit, you can also fax through other fax-capable imageRUNNER ADVANCE devices in the network, even if the one you are using does not have a fax board installed. This means significant cost-saving and convenience.





Remote Fax Kit installed device

Fax-enabled device

ADVANCED WORKFLOW

The Canon imageRUNNER ADVANCE series is designed to streamline workflow and meet each user's needs. You can easily send, save, store, and access scanned documents in multiple locations. Simply select a destination and scan the original. With the imageRUNNER ADVANCE series, you will find the most advanced, yet simple workflow.

SCAN AND SEND

In one simple operation, you can distribute scanned documents to multiple destinations, such as email, fax destinations and network folders. The wide range of formats* includes standard High Compression PDF, Adobe PDF Reader Extensions, Searchable PDF, Encrypted PDF, XPS, and even the latest Office Open XML for PowerPoint.




* Installation of optional accessories may be required.

CANON CLOUD CONNECT

Canon imageRUNNER ADVANCE series maximizes office productivity by allowing users to access Cloud services right from the devices. Users can scan and store their paper documents, or choose to retrieve and print their documents stored in their Cloud service. With the Cloud Scan and Cloud Print support of Google Docs and Microsoft SharePoint Online, imageRUNNER ADVANCE systems are the perfect way to scan and print through Cloud services.


- * For iR-ADV C2220L, installation of HDD is required.
- ** Internet connection and upgrades may be required to support Cloud services, and Cloud services may vary by country or region.





STORE AND ACCESS WITH EASE

Canon's new built-in document sharing solution simply makes sense. Multiple users can collaborate easily on a shared folder and access files from PCs or other networked imageRUNNER ADVANCE systems. Personal folders are also available for more sensitive documents. What's more, you can also preview the documents before printing them.



Send or retrieve files from your C2200 series models when networked with higher-end imageRUNNER ADVANCE models with the Advanced Box feature.


ADVANCED MANAGEMENT AND SECURITY

Be in control, wherever you are. The imageRUNNER ADVANCE makes it easy to monitor and optimize your company's output.




ADVANCED SOLUTIONS

To achieve even more with the imageRUNNER ADVANCE system, select the document solution that best meets your organizational needs.



Therefore is a holistic document management system that offers an easy-to-implement storage and retrieval system to give every staff instant, secure access to all information.



eCOPY PDF PRO OFFICE

eCopy® PDF Pro Office, the latest enterpriseready PDF solution from Nuance, is the smarter PDF desktop software companion to Canon MFDs. This powerful, easy-to-use PDF solution that lets you create, convert, and collaborate for increased productivity and cost savings.



eCOPY SHARESCAN SUITE

eCopy® ShareScan Suite transforms paper-based data safely and directly into electronic workflows. From the imageRUNNER ADVANCE device, you can scan, extract, classify, index and convert paper information into digital information that flows effortlessly into and through the electronic channels of your business.



uniFLOW

uniFLOW is designed to save you time and money by providing effective controls over your entire print and multi-functional device fleet. The uniFLOW solution can be built from several different components depending on your needs.



Track your organization's print consumption through detailed and vital information of how your devices are actually used, all without the need for additional manpower or equipment.

IW SECURE AUDIT MANAGER EXPRESS



On-device imageRUNNER Agent captures log and image data

o2 Info is sent to Express server for OCR; image and text exported

Express Audit Tools allows compilation and extraction of key info

Accounting Manager


344

805

808

43%

23



Here are some highlights:

100% RECYCLED PLASTIC & 100% RESPONSIBLE

Every imageRUNNER ADVANCE is built from 100% recycled plastics from past products. In addition, we subject ourselves to the most stringent standards, restricting the use of 24 hazardous substances (where EU RoHS directives restrict only six).

ENERGY SAVER IN EVERY WAY

The imageRUNNER ADVANCE C2200 series features the self-lit Energy Saver hard key instead of the conventional Power hard key. This minimizes power consumption when the device goes to sleep mode.

HIGHER EFFICIENCY MEANS LOWER EMISSIONS

By optimizing the document life cycle, we have lowered ${\rm CO^2}$ emissions by more than 30% over previous models.

CHANGING OUR BEHAVIOR TO CONSERVE OUR ENVIRONMENT

By encouraging digital workflows, we reduce unnecessary prints and reduce mistakes. Administrators can also help encourage use of duplex settings and control color usage easily.

SCHEDULED TO SAVE

Administrators can opt to automatically shut down devices at a scheduled date and time. This reduces unnecessary wastage during after office hours and non-working days.

GREEN ON THE INSIDE

pQ toner feature lowers energy consumption via lower heat and power requirements. Our RAPID fusing technology saves 75% more power usage. Our list of green technologies goes on.



Witness the significant improvement in your business communication capabilities. Move your business forward with the new imageRUNNER ADVANCE C2200 series today.

To arrange for a demonstration, simply contact any of our sales staff in the relevant contact overleaf.

SPECIFICATIONS

imageRUNNER ADVANCE C2200 Series

Туре	Desktop	
Maximum Original Size		
Copy Sizes	Cassette 1	C2230/C2225/C2220: A3, B4, A4, and B5
		C2220L: A3, B4, A4, A4R, B5, B5R, A5R, and
		Custom size (148 x 182mm to 297 x 420mm)
	Cassette 2	C2230/C2225/C2220: A3, B4, A4, A4R, B5, B5R, A5R,
	*Optional for C2220L	Custom Size (139.7 x 182mm to 304.8 x 457.2mm),
		and Envelopes
	Stack Bypass	305 x 457mm, 320 x 450mm (SRA3), A3, B4, A4,
		A4R, B5, B5R, A5, A5R, Custom Size (99 x 139.7mm
		to 320 x 457.2mm), and Envelopes** (Optional)
Resolution	Reading	600dpi x 600dpi
	Copying	600dpi x 600dpi
	Printing	1200dpi x 1200dpi (text/line only)
Copy/Print Speed	A4	C2220L: 20ppm (B&W/Color)
сорул писэрсса	***	C2220: 20ppm (B&W/Color)
		C2225: 25ppm (B&W/Color)
		C2230: 30ppm (B&W/Color)
	A3	C2220L: 15ppm (B&W/Color)
		C2220: 15ppm (B&W/Color)
		C2225: 15ppm (B&W/Color)
		C2230: 15ppm (B&W/Color)
Magnification	70.000	
Magnification	Zoom	25-400%
First Copy Time	Black-and-White	5.9sec
	Full Color	8.9sec
Warm-Up Time	34 seconds	
Multiple Copies/Prints	1 to 999 sheets	
Duplexing	Standard automatic sta	rkless
Paper Weight	Cassette 1	64 to 120gsm
	Cassette 2* (Optional	64 to 163gsm
	for iR-ADV C2220L)	
	Stack Bypass	64 to 220gsm
	Duplex	64 to 120qsm
Paper Capacity	Standard	Cassette 1 (80gsm):
гарет Сараспу	Staridard	iR-ADV C2220L: 250 sheets
		iR-ADV C2220L. 230 sheets
		Cassette 2 (80gsm): 550 sheets
		(Optional for iR-ADV C2220L)
		Stack Bypass (80gsm): 100 sheets
	Optional	550 sheets x 2 cassettes (80gsm)
	Total maximum	iR-ADV C2220L: 2.000 sheets
	capacity	iR-ADV C2220/C225/C2230: 2,270 sheets
CDU		IN-ADV CZZZO/CZZZS/CZZSO. Z,Z70 SHEEIS
CPU	1.67GHz	
Memory	Standard: 2GB RAM	
Hard Disk Drive		ADV C2230/C2225/C2220
	Optional for iR-ADV C22	220L
Interface	Ethernet (1000BaseT/100Base-TX/10Base-T)	
Power Supply	220-240V AC, 50/60H	
	1.5kW max	
Power Consumption		
Toner (Estimated Yield	23,000 (B&W); 19,000	(Cyan, Magenta and Yellow)
@ 5% coverage)		
Drum Yield	iR-ADV C2220/C2220L	43,000 (B&W); 36,000 (Cyan, Magenta and Yellow)
	iR-ADV C2230/C2225	53,000 (B&W); 44,000 (Cyan, Magenta and Yellow)
Dimensions (WxDxH)		, , , , , , , , , , , , , , , , , , , ,
(** * D * 11)	iR-ADV C2230/C2225/C2220 - 565mm x 680mm x 791mm	
	iR-ADV C2220L - 565m	m x 650mm x 791mm
Mariaha		III A OSOIIIII A E FIIIIII
Weight	Main Unit Only:	
	iR-ADV C2230/C2225/C2220 - Approximately 79kg	
	iR-ADV C2220L - Approximately 75kg	
	With DADF:	
	iR-ADV C2230/C2225/C2220 - Approximately 86.9kg	
	iR-ADV C2220L - Approximately 82.9kg	
Print Specification		
PDL	LIEDII (Standard), DCI E	c/6 (Ontional) Adoba PostScript 7 (Ontional)
		c/6 (Optional), Adobe PostScript 3 (Optional)
Resolution		xt/Line only), 600dpi x 600dpi
Memory	2GB (Uses Main Unit R.	AM)
Hard Disk	Standard 160GB for iR-	ADV C2230/C2225/C2220
	Optional for iR-ADV C22	
		or 1 67GHz (Uses Main Unit CDU)
CPU	Canon Custom Process	
	Canon Custom Process	oi, 1.07 driz (OSEST lain Officer O)
PS Fonts	Canon Custom Processor Roman 136	
PS Fonts PCL Fonts	Canon Custom Process	OCR2
PS Fonts PCL Fonts	Canon Custom Processor Roman 136	
PS Fonts PCL Fonts	Roman 136 Roman 93, Bitmap10,	OCR2 Windows XP/Server2003/Vista/Server2008/Windows7
PS Fonts PCL Fonts	Canon Custom Process Roman 136 Roman 93, Bitmap10, PCL	OCR2 Windows XP/Server2003/Vista/Server2008/Windows7 Server2008 R2/Windows 8
PS Fonts PCL Fonts	Roman 136 Roman 93, Bitmap10,	OCR2 Windows XP/Server2003/Vista/Server2008/Windows7 Server 2008 R2/Windows 8 Windows XP/Server2003/Vista/Server2008/Windows7
PS Fonts PCL Fonts Supported OS	Canon Custom Process: Roman 136 Roman 93, Bitmap10, PCL Adobe PostScript 3	OCR2 Windows XP/Server2003/Vista/Server2008/Windows7 Server 2008 R2/Windows 8 Windows XP/Server2003/Vista/Server2008/Windows7 Server 2008 R2/Windows 8, Mac OS X (10.4.9 or later)
PS Fonts PCL Fonts Supported OS	Canon Custom Processi Roman 136 Roman 93, Bitmap10, PCL Adobe PostScript 3 Windows XP/Server200	OCR2 Windows XP/Server2003/Vista/Server2008/Windows7 Server 2008 R2/Windows 8 Windows XP/Server2003/Vista/Server2008/Windows7 Server 2008 R2/Windows 8, Mac OS X (10.4.9 or later) 37/Vista/Server2008/Windows7/
PS Fonts PCL Fonts Supported OS	Canon Custom Processi Roman 136 Roman 93, Bitmap10, PCL Adobe PostScript 3 Windows XP/Server200	OCR2 Windows XP/Server2003/Vista/Server2008/Windows7 Server 2008 R2/Windows 8 Windows XP/Server2003/Vista/Server2008/Windows7 Server 2008 R2/Windows 8, Mac OS X (10.4.9 or later)
PS Fonts PCL Fonts Supported OS UFR II	Canon Custom Process Roman 136 Roman 93, Bitmap10, PCL Adobe PostScript 3 Windows XP/Server200 Server 2008 R2/Windo	OCR2 Windows XP/Server2003/Vista/Server2008/Windows7 Server 2008 R2/Windows 8 Windows XP/Server2003/Vista/Server2008/Windows7 Server 2008 R2/Windows 8, Mac OS X (10.4.9 or later) 37/Vista/Server2008/Windows7/ ws 8, Mac OS X (10.4.9 or later)
PS Fonts PCL Fonts Supported OS UFR II Mac-PPD	Canon Custom Process Roman 136 Roman 93, Bitmap10, PCL Adobe PostScript 3 Windows XP/Server200 Server 2008 R2/Windo Mac OS 9.1 or later, Ma	OCR2 Windows XP/Server2003/Vista/Server2008/Windows7 Server 2008 R2/Windows 8 Windows XP/Server2003/Vista/Server2008/Windows7 Server 2008 R2/Windows 8, Mac OS X (10.4.9 or later) 3/Vista/Server2008/Windows7/ w 8, Mac OS X (10.4.9 or later) COSX (10.2.8 or later)
CPU PS Fonts PCL Fonts Supported OS UFR II Mac-PPD Interface	Canon Custom Process Roman 136 Roman 93, Bitmap10, 1 PCL Adobe PostScript 3 Windows XP/Server200 Server 2008 R2/Windo Mac 05 9.1 or later, Mar Ethernet (1000Base-T)	OCR2 Windows XP/Server2003/Vista/Server2008/Windows7 Server 2008 R2/Windows 8 Windows XP/Server2003/Vista/Server2008/Windows7 Server 2008 R2/Windows 8, Mac OS X (10.4.9 or later) 37/Vista/Server2008/Windows7/ ws 8, Mac OS X (10.4.9 or later)
PS Fonts PCL Fonts Supported OS UFR II Mac-PPD Interface	Canon Custom Process Roman 136 Roman 93, Bitmap10, 1 PCL Adobe PostScript 3 Windows XP/Server200 Server 2008 R2/Windo Mac OS 9.1 or later, Mac Ethernet (1000Base-I/ Wireless LAN (IEEE802.	OCR2 Windows XP/Server2003/Vista/Server2008/Windows7 Server 2008 R2/Windows 8 Windows XP/Server2003/Vista/Server2008/Windows7 Server 2008 R2/Windows 8, Mac OS X (10.4.9 or later) 37/Vista/Server2008/Windows7/ SS 8, Mac OS X (10.4.9 or later) SS 8, Mac OS X (10.4.9 or later)
PS Fonts PCL Fonts Supported OS UFR II Mac-PPD	Canon Custom Process Roman 136 Roman 93, Bitmap10, I PCL Adobe PostScript 3 Windows XP/Server200 Server 2008 R2/Windo Mac OS 9.1 or later, Mac Ethernet (1000Base-T/ Wireless LAN (IEEE802. TCP/IP (LPD/Port9100/	OCR2 Windows XP/Server2003/Vista/Server2008/Windows7 Server 2008 R2/Windows 8 Windows XP/Server2003/Vista/Server2008/Windows7 Server 2008 R2/Windows 8, Mac OS X (10.4.9 or later) 3/Vista/Server2008/Windows7/ ws 8, Mac OS X (10.4.9 or later) COSX (10.2.8 or later) 100Base=TX/10Base=T) 10b/g, Optional), USB2.0 WSD/IPP/IPPS/SMB/FTP),
PS Fonts PCL Fonts Supported OS UFR II Mac-PPD Interface	Canon Custom Process Roman 136 Roman 93, Bitmap10, 1 PCL Adobe PostScript 3 Windows XP/Server200 Server 2008 R2/Windo Mac OS 9.1 or later, Mac Ethernet (1000Base-I/ Wireless LAN (IEEE802.	OCR2 Windows XP/Server2003/Vista/Server2008/Windows7 Server 2008 R2/Windows 8 Windows XP/Server2003/Vista/Server2008/Windows7 Server 2008 R2/Windows 8, Mac OS X (10.4.9 or later) 3/Vista/Server2008/Windows7/ ws 8, Mac OS X (10.4.9 or later) COSX (10.2.8 or later) 100Base=TX/10Base=T) 10b/g, Optional), USB2.0 WSD/IPP/IPPS/SMB/FTP),

Send Specification (C	Optional for iR-ADV C2220L)		
Scan Resolution	100dpi, 150dpi, 200 x 100dpi, 200dpi, 200 x 400dpi, 300dpi, 400dpi, 600dpi		
Destinations	E-Mail/Internet FAX (SMTP), PC (SMB, FTP), WebDA V. Google Docs and		
	Microsoft SharePoint Online with iR-ADV Cloud Connect MEAP application.		
Address Book	LDAP, Local (Max.1800)		
File Format	TIFF, JPEG, PDF, XPS, High compression PDF/XPS, PDF/A-1b,		
	Optimize PDF for Web, OOXML (.PPTX only)		
	(*To use Optimize PDF for Web, HDD installation is required for iR-ADV C2220L)		
Optional Accessories Universal Send Adva			
File Format	Outline PDF (Trace & Smooth), Searchable PDF/XPS,		
File Format	Reader Extensions PDF, OOXML (.PPTX only)		
Universal Send Secu			
File Format	Encrypted PDF, Device Signature PDF/XPS		
Duplex Automatic D			
Paper Size	A3, B4, A4, A4R, A5, A5R, B5, B5R, or B6		
Paper Weight	1-sided scanning: 42 to 128qsm		
rapei vveigni	2-sided scanning: 50 to 128gsm		
Max. Number	50 sheets (80qsm)		
of Originals	Copying: 1-sided scanning - 30 sheets/minute (A4 in B&W/Color at 600dpi)		
Document Scanning	Scanning: 1-sided scanning - 51 sheets/minute (A4 in B&W/Color at 300dpi)		
Speed (Max.)	scarring. I saca scarring 31 shees/imate (1111 bath color at 300api)		
Dimensions (WxDxH)	565mm x 540mm x 135mm		
Weight	Approx. 7.9kg		
Cassette Unit-X1 (On	ly for iR-ADV C2220L)		
Paper Size	A3, A4, A4R, A5R		
	Custom Size 139.7 x 182mm to 304.8 x 457.2mm		
Paper Weight	64 to 163gsm		
Paper Capacity	550 sheets (80gsm) x 1 cassette		
Cassette Feeding Un	it-AF1		
Paper Size	A3, B4, A4, A4R, B5, B5R, A5R		
	Custom Size 139.7 x 182mm to 304.8 x 457.2mm		
Paper Weight	64 to 163gsm		
Paper Capacity	550 sheets (80gsm) x 2 cassettes		
Dimensions (WxDxH)	565mm x 650mm x 248mm		
Weight	Approx. 27.5kg		
Inner Finisher F1			
Number of Trays	One stack tray (Optional 2 nd Tray)		
Tray Capacity	A4, A5, A5R A4-A5R: 750 sheets		
	A3, A4R A3, A4R: 500 sheets		
Staple Position	Corner, Double		
Staple Capacity	A4: 50 sheets		
	A3: 30 sheets		
	590mm x 550mm x 260mm		
Weight Approx.	Approx. 14.0kg (when the optional Inner Finisher Additional Tray-F1 is attached)		

Other Optional Accessories

Platen Cover Type S, Copy Tray Unit-11, Utility Tray-A2, Inner 2 way Tray-F1, 3 Way Unit-C1, Inner Finisher Additional Tray-A1, Buffer Pass Unit-K1, Staple Finisher-M1, Booklet Finisher-M1, Envelope Feeder Attachment-D1, Serial Interface Kit-K1, Copy Control Interface Kit-A1, Copy Card Reader Attachment-B3, Copy Card Reader-F1, FL Cassette-AM1, FL Cassette-AM1, Stamp Ink Cartridge-C1, Stamp Unit-B1, Staple Cartridge-D2, Staple Cartridge-D3, Staple Cartridge-D3, Staple Cartridge-D3, Staple Cartridge-D3, Staple Cartridge-D3, Staple Cartridge-D3, Staple Cartridge-D4, Staple-D4, Staple-D6, Staple-D6, Staple-D7, Reader-Bater-J1 200V, PCL Printer Kit-A17, P5 Printer Kit-A17, Barcode Printing Kit-D1, Direct Print Kit (for PDF)-H1, Direct Print (for XPS)-H1, Canno Color Universal Send Direct G3 Exa Kit-A41, All Casses Macad-AH1, Super-G3 Fax Board-AH2, Super-G3 Exa Board-AH1, Remote Fax Kit-A1, Web Access Software-H1, Multimedia Reader/Writer-A2, USB Device Port-E2, Secure Watermark-B1, Universal Send Digital User Signature Kit-C1, Removable HDD Kit-AE1, ReADV Security Kit-D1, HDD Encryption Kit-C3, 2. Sinch/80GB HDD-E2, Encrypted Printing Software-D1, Document Scan Lock Kit-B1, Access Management System Kit-B1, ADF Access Handle-A1, Remote Operators Software Kit-B1, Voice Guidance-E2, Voice Operation Kit-C3

This brochure and the specifications of the product have been developed prior to the date of product launch. These specifications are subject to change without notice. Therefore no representations or warranties, either express or implied, are made of the fitness of this product for a particular purpose. In no circumstances shall the information in this brochure be considered part of our terms and conditions of sale. You are advised to check the prevailing specification immediately prior to purchase. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.









Managed Document Services

iR ADVANCE Features

To integrate more capabilities into your imageRUNNER ADVANCE device, simply speak with your friendly Canon representative.

Canon

Delighting You Always

SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

Canon Singapore Pte. Ltd.

1 HarbourFront Avenue #04-01, Keppel Bay Tower, Singapore 098632

Tel: +65-6799 8888 | Fax: +65-6799 8882 | www.canon-asia.com | www.canon.com.sg

CANON SALES SUBSIDIARIES & BUSINESS PARTNERS

Afghanistan:

Megaplus Afghanistan Limited House No. 233, Street No. 4, Charagh Ali, Qilla-e-Fatehullah, Kabul, Afghanistan Tel: 93-700 228 832 / 93-700 979 511 | Fax: 93-202 201 259 Email: info@megaplus.com.af

Bangladesh:

Flora Limited Adamjee Court Annex-2 (4th Floor), 119-120 Motijheel Commercial Area Dhaka 1000 Bangladesh Tel: 880-2-716-2742-46 / 225 | Fax: 880-2-955-0030 | www.floralimited.com

Brunei:

Interhouse Company No. 5-7 Bunut Jaya Complex, Spg 574 Jalan Tutong BF1320, P.O. Box 423, Seri Complex, Bandar Seri Begawan BA 1779, Brunei Darussalam Tel: 673-2-653-001 | Fax: 673-2-653-003

Royal Cambodia Co., Ltd #437 Preah Monivong Blvd, Phnom Penh, Kingdom of Cambodia Tel: 855-23-428955 | Fax: 855-23-722961

Hong Kong:

Canon Hongkong Co. Ltd 19F, The Metropolis Tower, 10 Metropolis Drive, Hunghom, Hong Kong Tel: 852-3191-2388 | Fax: 852-2369-3800 | www.canon.com.hk

India:

Canon India Private Limited 7th Floor, Tower B, Building #5, DLF Cyber Terraces, DLF Phase-3 Gurgaon - 122002, Haryana, India Tel: 91-124-416 0000 | Fax: 91-124-416 0011 | www.canon.co.in

Indonesia:

PT Samafitro Jalan Ir. H Juanda No.8, Jakarta 10120, Indonesia Tel: 62-21-345 8989 | Fax: 62-21-345 6699 | www.samafitro.co.id

Malaysia:

Canon Marketing (Malaysia) Sdn Bhd Block D, Peremba Square, Saujana Resort Section U2, 40150 Shah Alam, Selangor Darul Ehsan, Malaysia Tel: 60-3-7844 6000 / 7845 0055 | Fax: 60-3-7844 6196 / 6198 www.canon.com.my

Maldives:

Simdi Company Pvt Ltd. G.Manaam Building, 2/1 Neeloafaru Magu, Male' 20-129, Maldives Tel: 960-333 4421 | Fax: 960-333 4424

Myanmar:

Myanmar Golden Rock International Co., Ltd #06-01, Building 8, Myanmar ICT Park, Universities' Hlaing Campus, Hlaing Township, Yangon, Myanmar. Tel: 95-1-654810 to 17 | Fax: 95-1-654820 | Email: sales@mgr.com.mm

Nepal:

International Electronics Concern (P) Ltd
Kha 14, 1st Floor, Haratibhawan Putalisadak, Ramshah Path,
Kathmandu, Nepal, P.O. Box 12588
Tel: 977-1-442 1991 | Fax: 977-1-442 1909

Pakistan:

Shirazi Trading Company (Pvt.) Ltd Sim Floor, Adamjee House, I.I. Chundrigar Road, Karachi 74000 Pakistan Tel: 92-21-3241 (7659), (7737) or (7746) | Fax: 92-21-(3241 7747), (3242 0417) or (3242 0418) | www.shirazitrading.com.pk

Canon Marketing (Philippines), Inc. Ground Floor Commerce and Industry Plaza. Campus Ave. Cor. Park Ave., McKinley Hill, Fort Bonifacio, Taguig City
Tel: 632-884-9000 | Fax: 632-556-1456 | www.canon.com.ph

Metropolitan Office (Pvt) Ltd 12, Magazine Road Colombo 08, Sri Lanka Tel: 94-11-470 0200 | Fax: 94-11-470 0267

Taiwan:

Canon Marketing (Taiwan) Co. Ltd 19F, No. 100, Sec.2 Roosevelt Road, Taipei, Taiwan, R.O.C. Tel: +886 2-6632-8888 | Fax: +886-2-6632-6700 | www.canon.com.tw

Thailand:

Canon Marketing (Thailand) Co. Ltd
No.98 Sathorn Square Office Tower, 21st - 24th floor,
North Sathorn Road, Silom, Bangrak, Bangkok 10500
Tel: 66-2-344 9999 | Fax: 66-2-344 9960 | www.canon.co.th

Vietnam:

Canon Marketing (Vietnam) Co. Ltd Level 10, President Place, 93 Nguyen Du, Dist 1, Ho Chi Minh City, Vietnam Tel: 84-8-3820 0466 | Fax: 84-8-3820 0477 | www.canon.com.vn

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document.

Canon, imageRUNNER, imageRUNNER ADVANCE, imageCHIP, RAPID Fusing System, MEAP, eMaintenance, iW, Business can be simple and get Smart get genuine are trademarks of Canon Inc. and/or its affiliates. "MEAP" is a trademark of CANON Inc., referring to an "application platform" for Canon multifunction and single function printers. Other names may be the trademarks of their respective owners.